

ACCP



PEACE

Promoting Effective & Aligned
Communication in the Elderly

ACCP PEACE

Promoting Effective & Aligned Communication in the Elderly

James A. Tulsky MD

Angelo Volandes MD, MPH



Investigators & Collaborators

- **Core Team**

- Michael Paasche-Orlow MD
- Josh Lakin MD
- Michael Barry MD
- Yuchiao Chang PhD

- **NIH**

- Dr. Marcel Salive (NIA)
- Dr. Jeri Miller (NINR)

- **Organizational Partners**

- Vital Talk
- ACP Decisions

- **Duke Health**

- Kathryn Pollak PhD
- Yousuf Zafar MD



- **Mayo Clinic**

- Jon Tilburt MD
- Charles Loprinzi MD

- **Northwell Health**

- Diana Martins-Welch MD
- Maria Carney MD
- James D'Olimpio MD

ACP PEACE: Objective

- Pragmatic step wedge cluster randomized trial of a *Comprehensive ACP Program* in oncology clinics at 3 systems



ACP PEACE: Intervention

- **Comprehensive ACP Program**
 - VitalTalk communication skills training
 - ACP Decisions video decision aids



ACP PEACE: UG3 Aims

Working with NIH Collaboratory...

- Establish organizational structure
- Establish procedures and infrastructure
- Pilot 1 oncology clinic per site (3 total)

ACP PEACE: UH3 Aim 1

Randomize 36 clinics (12 per system) in 6 “steps”

	UG3	UH3					
Cluster	Baseline	1m	7m	13m	19m	25m	31m
1, 2							
3, 4							
5, 6							
7, 8							
9, 10							
11, 12							

ACP PEACE: UH3 Aim 2

- Test intervention effect in 4,500 patients with advanced cancer on:
 - Advance care plan completion
 - Resuscitation orders
 - Palliative care consultations
 - Hospice use

*Hypothesis: A higher proportion of patients in the intervention phase (vs. control) will: complete advance care plans (**primary trial outcome**), have documented electronic health record orders for resuscitation preferences, be seen in palliative care consultation, and enroll in hospice*

ACP PEACE: UH3 Aim 3

Patient-Centered
Outcomes

